PROTECTING CHILDREN THROUGH CODE ENFORCEMENT

FUNDED BY A GRANT FROM THE U.S. ENVIRONMENTAL PROTECTION AGENCY

This project has been funded wholly or in part by the United States Environmental Protection Agency (EPA) under assistance agreement number 99T80701 to the Alameda County Healthy Homes Department. The contents of this document do not necessarily reflect the views and policies of the EPA, nor does the EPA endorse trade names or recommend the use of commercial products mentioned in this document.







STATE HOUSING LAW, HEALTH AND SAFETY CODE AND TITLE 17



EXISTING HAZARDS

CREATED HAZARDS/ UNSAFE RENOVATION STATE HOUSING LAW

& TITLE 17

78
ASSUME









PRESUMED LEAD-BASED PAINT T.17 | CCR, §35043

CALIFORNIA CODE OF REGULATIONS

ALL PAINT ON PRE-1978 BUILDINGS IS PRESUMED TO BE LEAD-BASED PAINT

- Unless it has been tested by a professional and shown not to be lead-based paint.
- Chemical test kits are not sufficient to say paint is not lead-based paint

STATE HOUSING LAW | H&S §17920.10

(A) ANY PORTION OF A BUILDING OR PREMISES THAT CONTAINS LEAD HAZARDS IS IN VIOLATION OF THE STATE HOUSING LAW. LEAD HAZARDS UNDER THIS PART ARE:



DETERIORATED LEAD-BASED PAINT*

INCLUDING PRESUMED



LEAD CONTAMINATED DUST

STATE HOUSING LAW | H&S §17920.10

(A) ANY PORTION OF A BUILDING OR PREMISES THAT CONTAINS LEAD HAZARDS IS IN VIOLATION OF THE STATE HOUSING LAW. LEAD HAZARDS UNDER THIS PART ARE:



LEAD CONTAMINATED
SOIL



DISTURBING LEAD-BASED PAINT WITHOUT CONTAINMENT H&S §17960 | THE BUILDING

DEPARTMENT OF EVERY CITY OR

COUNTY SHALL ENFORCE WITHIN

ITS JURISDICTION ALL THE

PROVISIONS OF THIS PART




H&S §17961 | HEALTH DEPARTMENT OR
ENVIRONMENTAL DEPARTMENT MAY, IN
ADDITION TO THE BUILDING DEPARTMENT,
ENFORCE 17920.10. AGENCIES SHALL
COORDINATE ENFORCEMENT ACTIVITIES TO
AVOID UNNECESSARY DUPLICATION.

UNDER CERTAIN CIRCUMSTANCES THE STATE DEPARTMENT OF PUBLIC HEALTH MAY ENFORCE 17920.10







LEAD ACTIVITIES:

TITLE 17 §36050 LEAD-SAFE WORK PRACTICES

USE CONTAINMENT

ENSURE WORK AREA HAS NO
VISIBLE DUST OR DEBRIS UPON
COMPLETION

DEMONSTRATE COMPLIANCE WITH ABOVE
TO THE DEPARTMENT OR LOCAL
ENFORCEMENT AGENCY

COMPLIANCE: EXISTING HAZARDS



VOLUNTARY COMPLIANCE

GOALS

NOTICE AND ORDER

- PAINT USING LEAD-SAFE PRACTICES
- TEST: STATE CERTIFIED INSPECTOR/ ASSESSOR



CITY OF GARDEN GROVE

NOTICE AND ORDER TO REPAIR OR ABATE

DELIVERED VIA POSTING ON SUBJECT PROPERTY AND FIRST CLASS MAIL AND CERTIFIED MAIL, RETURN RECEIPT REQUESTED TO SUBJECT PROPERTY

Date: July 18, 2019

Subject Property: 123 Main Street Garden Grove, CA 92840 APN 0008-675-309











HEALTH AND SAFETY CODE §17920.10 (STATE HOUSING LAW):



LEAD HAZARDS ARE A CONDITION OF SUBSTANDARD HOUSING



VIOLATION OF §17920.10 IS A VIOLATION OF THE STATE HOUSING LAW AND, PURSUANT TO §17995 IS A MISDEMEANOR



\$105256: AUTHORITY TO
ISSUE AN ORDER TO ABATE
FOR A CONDITION THAT
HAS CREATED A LEAD
HAZARD

T. 17, CCR, §35022:
INCLUDES DETERIORATED
PRESUMED LEAD-BASED
PAINT

DETERIORATED LEAD-BASED PAINT



NOTICE AND ORDER TO REPAIR OR ABATE

DELIVERED VIA POSTING ON SUBJECT PROPERTY AND FIRST CLASS MAIL AND CERTIFIED MAIL, RETURN RECEIPT REQUESTED TO SUBJECT PROPERTY

Date: July 18, 2019

EXAMPLE 1

ORDER TO REPAINT DETERIORATED PRESUMED LBP

USING LEAD-SAFE PRACTICE

(OWNER HAS OPTION TO TEST)

- IF LBP: REPAIR AND DISCLOSE
- NOT LBP: NO FURTHER REPAIR NEEDED

• • •

- DA /PROSECUTOR REFERRAL
- PAINT TESTING BEFORE COURT CASE

EXAMPLE 2

OWNER REQUIRED TO HIRE LEAD INSPECTOR TO TEST
DETERIORATED PAINT

IF LBP: REPAIR AND DISCLOSE

NOT LBP: NO FURTHER REPAIR NEEDED

- FINE AND/OR MISDEMEANOR CRIMINAL CITATION
- ADDITIONAL REMEDIES: CIVIL SUIT AND RECEIVERSHIP



CITY OF GARDEN GROVE

NOTICE AND ORDER TO REPAIR OR ABATE

DELIVERED VIA POSTING ON SUBJECT PROPERTY AND FIRST CLASS MAIL AND CERTIFIED MAIL, RETURN RECEIPT REQUESTED TO SUBJECT PROPERTY

Date: July 18, 2019

Subject Property: 123 Main Street Garden Grove, CA 92840 APN 0008-675-309










FAILURE TO COMPLY

HEALTH AND SAFETY CODE §17995

- \$1,000 FINE AND/OR 6 MONTHS IN JAIL.

 MISDEMEANOR CRIMINAL CITATION
- SUBSEQUENT VIOLATIONS AT SAME ADDRESS: \$5,000 FINE AND 6 MONTHS IN JAIL
- CONDITION OF PROBATION FOR SUSPENDED JAIL
 TERM CAN MANDATE SALE OF RENTAL HOUSING
- RECEIVERSHIP



HEALTH AND SAFETY CODE \$105256

PROVIDES ENFORCEMENT AUTHORITY
IN ADDITION TO STATE HOUSING LAW

- AUTHORITY TO ORDER THE ABATEMENT OF A LEAD
 HAZARD
- ENFORCEMENT AUTHORITY VESTED WITH MANY
 AGENCIES AND AN ADDITIONAL \$1,000 FINE FOR NON COMPLIANCE



CLEARANCE TESTING REQUIRED

- LEAD HAZARD CONTROL WORK DONE IN RESPONSE TO A CASE OF LEAD POISONING (T.17)
- PERMANENT ABATEMENT PROJECTS (T.17)
- CERTAIN FEDERALLY-ASSISTED HOUSING UNITS
- (LEAD SAFE HOUSING RULE)





OFFICER DISCRETION

CONSIDERATION



- Lead-Poisoned Child (EBL Elevated Blood Lead Level)
- Child-occupied facilities (Site or neighboring property)
- Neighboring properties, especially with children, pregnant occupant

COMPLIANCE: CREATED HAZARDS/ UNSAFE RENOVATION



PRO-ACTIVE STEPS FOR WORK REQUIRING PERMITS:

EDUCATION/REQUIREMENTS:

- PERMIT OFFICE INFORMATION
- PLAN SET STICKER OR STAMP

SIGNED ACKNOWLEDGMENT

QUALIFICATIONS CHECK-RRP CERTFICATION







UNSAFE RENOVATION COMPLAINTS

- DOCUMENTATION CHECK: JOB FILE, CLEANING VERIFICATION
- QUALIFICATIONS CHECK/REQUIRE (RRP)
- NOTICE AND ORDER TO ABATE



FAILURE TO USE LEAD-SAFE WORK PRACTICES

TITLE 17, CCR, §36050: LEAD SAFE WORK
PRACTICES REQUIRED FOR ANY
REMODELING ACTIVITY IN PRE-1978
BUILDING

FAILURE TO USE LEAD-SAFE WORK PRACTICES

NO PERSON SHALL PERFORM LEADRELATED CONSTRUCTION ON ANY
RESIDENTIAL OR PUBLIC BUILDING IN A
MANNER THAT CREATES A LEAD HAZARD






TITLE 17, CCR, §36050:

LEAD SAFE WORK PRACTICES: REQUIRED
 FOR ANY REMODELING ACTIVITY IN PRE 1978 BUILDING

HEALTH AND SAFETY CODE \$105255:

NO PERSON SHALL PERFORM LEAD-RELATED
 CONSTRUCTION ON ANY RESIDENTIAL OR
 PUBLIC BUILDING IN A MANNER THAT
 CREATES A LEAD HAZARD





ORDER TO ABATE OR CEASE AND DESIST

HEALTH AND SAFETY CODE §105256: AUTHORITY TO ISSUE
AN ORDER TO ABATE FOR A CONDITION OR ACTIVITY
THAT IS CREATING OR HAS CREATED A LEAD HAZARD

EXAMPLES OF "ORDER TO ABATE" LANGUAGE

Example 1: (insert Agency name) conducted an inspection on (insert date) at a property you own at (insert address) and identified lead-based paint hazards that are violations of State Housing Law (California Health and Safety Code section 17920.10). Pursuant to California Health and Safety Code sections 17961 and 17980, (insert Agency name) is ordering you to abate the identified lead hazards within 30 days in order to protect current and future residents from lead poisoning.

Example 2: (insert Agency name) conducted an inspection on (insert date) at (insert address) and identified an activity that is creating a lead hazard. Pursuant to California Health and Safety Code section 105256, (insert Agency name) is issuing a Stop Work Order. You are required to (1) immediately stop the work that is disturbing paint, (2) clean up any paint chips, dust, and debris, and (3) place plastic tarps on the ground to catch any paint chips or dust before resuming work. Failure to comply may result in \$1,000 fine.

Second Paragraph for both Example 1 and Example 2: All deteriorated presumed lead-based paint shall be re-painted using "lead-safe" work practices, such as identified in Title 17, California Code of Regulations, sections 35016 and 36050. When the work is completed, contact our office and we will conduct a re-inspection to confirm that substandard housing conditions have been abated. For additional information on "lead safe" work practices, or to find a contractor who is trained and certified to conduct lead abatement activities, please contact the California Department of Public Health at (800) 597-5323 or via the internet at www.cdph.ca.gov/programs/clppb

What to tell owners/managers

- Ensure that all of your maintenance staff and any contractors you hire use lead-safe work practices.
- Consider hiring a certified lead inspector to test the property for lead hazards.
- Conduct inspections for deteriorated paint at turnover and annually and repair immediately.
- Eliminating lead hazards improves property and avoids liability.

What to tell tenants

- If you live in a building built before 1978, report any deteriorated paint to your landlord immediately.
- Maintenance staff and contractors remodeling any building built before 1978 are required to use "lead-safe" work practices (such as putting down plastic tarps to catch paint chips and debris).
- If you see a worker who is not using "lead-safe" work practices, contact your local building department.



RELEVANT CODES:

DETERIORATED LEAD-BASED PAINT

- HEALTH AND SAFETY CODE SECTION 17920.10 (STATE HOUSING LAW)
- HEALTH AND SAFETY CODE SECTION 105256
- FAILURE TO USE LEAD-SAFE WORK PRACTICES/CREATING A LEAD HAZARD HEALTH AND SAFETY CODE SECTION 105255 | TITLE 17, CA CODE OF REGULATIONS, SEC. 36050

HEALTH AND SAFETY CODE §105256: AUTHORITY TO ISSUE AN ORDER TO ABATE FOR A CONDITION THAT HAS CREATED A LEAD HAZARD

HEALTH AND SAFETY CODE §17920.10:

ANY PORTION OF A BUILDING OR PREMISES THAT CONTAINS LEAD HAZARDS IS IN VIOLATION OF THE STATE HOUSING LAW. LEAD HAZARDS UNDER THIS PART ARE:

- DETERIORATED LEAD-BASED PAINT-INCLUDING PRESUMED.
- LEAD-CONTAMINATED DUST
- LEAD-CONTAMINATED SOIL
- DISTURBING LEAD-BASED PAINT WITHOUT CONTAINMENT

REFERENCES

WWW.CDPH.CA.GOV/PROGRAMS/CCDPHP/DEOD C/CLPPB

HUD ONLINE LEAD-BASED PAINT VISUAL ASSESSMENT COURSE

WWW.HUD.GOV/OFFICES/LEAD/TRAINING/VISU ALASSESSMENT/H00101.HTM

HUD GUIDELINES-LEAD HAZARD CONTROL

WWW.HUD.GOV/OFFICES/LEAD/LPB/HUDGUIDE LINES/INDEX.CFM

EPA RENOVATION, REPAIR, AND PAINTING (RRP):

W W W. E PA . G O V / L E A D / R E N O V AT I O N - R E PA I R - A N D - PA I N T I N G - P R O G R A M



PROTECTING CHILDREN THROUGH CODE ENFORCEMENT

FUNDED BY A GRANT FROM THE U.S. ENVIRONMENTAL PROTECTION AGENCY

This project has been funded wholly or in part by the United States Environmental Protection Agency (EPA) under assistance agreement number 99T80701 to the Alameda County Healthy Homes Department. The contents of this document do not necessarily reflect the views and policies of the EPA, nor does the EPA endorse trade names or recommend the use of commercial products mentioned in this document.





